

MATERIAL SAFETY DATA SHEET

Dust-B-Gone

FILE NO.: 250

MSDS DATE: 02/23/12

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**PRODUCT NAME:** Dust-B-Gone
PRODUCT CODES: 250**PRODUCT USE:** Duster**MANUFACTURER:** QuestVapco Corporation
ADDRESS: P.O. Box 624
Brenham, TX 77834**EMERGENCY PHONE:** 1-800-231-0454
CHEMTREC PHONE: 1-800-255-3924
OTHER CALLS: 1-800-231-0454**SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Name</u>	<u>CAS No.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
PROPANE/N-BUTANE	68476-86-8	N/A	1000ppm

SECTION 3: HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW:** Aerosol under pressure do not expose to high temperatures 120°F or store in direct sunlight. Product is a simple asphyxiant and may cause frost bite. Product is colorless, tasteless, odorless, and highly flammable.**ROUTES OF ENTRY:** Skin, Eyes, Ingestion, Inhalation**POTENTIAL HEALTH EFFECTS****EYES:** Contact with liquid can freeze tissue similar to thermal burn.**INGESTION:** Not a likely route of exposure under normal product handling conditions.**INHALATION:** Acute exposure may cause nausea, vomiting, coughing and pulmonary irritation. No apparent ill effects in breathing concentrations of 5% for 2 hours. Causes drowsiness in a short time in concentrations of 1%. Chronic exposure may cause dizziness, weakness, peripheral numbness and nervousness.**SKIN:** Contact with liquid can freeze tissue similar to thermal burn.**MEDICAL CONDITION AGGRAVATED:** None Known**CHRONIC HEALTH HAZARDS:** None Known**CARCINOGENICITY** OSHA: No ACGIH: No NTP: No IARC: No OTHER:**SECTION 4: FIRST AID MEASURES****EYES:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. **INGESTION:** Substance is a mixture of liquefied petroleum gas; ingestion is not a normal route for exposure. **INHALATION:** Remove to fresh air. If breathing has stopped, give artificial respiration taking care to avoid contact with this product. Seek medical advice. **SKIN:** May cause frostbite. Seek medical attention.**SECTION 5: FIRE-FIGHTING MEASURES**

FLAMMABLE LIMITS IN AIR (% BY VOLUME)	UPPER: 9.5	LOWER: 1.8		
FLASH POINT (Method TCC): F: -117.83 C: -83.2	AUTOIGNITION TEMPERATURE:		F: N/A	C: N/A
NFPA HAZARD CLASSIFICATION: HEALTH: 1	FLAMMABILITY: 3	REACTIVITY: 0	OTHER:	
HMIS HAZARD CLASSIFICATION: HEALTH: 1	FLAMMABILITY: 3	REACTIVITY: 0	PROTECTION: A	

EXTINGUISHING MEDIA: Water, carbon dioxide, dry chemical or suitable for surrounding fire. Cool fire exposed containers with water fog.**SPECIAL FIRE FIGHTING PROCEDURES:** Use full protective gear including self-contained breathing apparatus when fighting fires.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure, exposure to high temperatures above 120°F can cause bursting. Extreme hazard; gas leaks or liquid spills readily form flammable mixtures at temperatures below ambient. Risk of fire or explosion by mechanical impact, friction, sparks, flames or other sources of ignition. Vapors settle to ground level and may reach ignition sources remote from the point of escape via drains and other underground passages. Static discharge; material can accumulate static charges which may cause an incendiary electrical discharge.**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon**SECTION 6: ACCIDENTAL RELEASE MEASURES**

MATERIAL SAFETY DATA SHEET

FILE NO.: 250

Dust-B-Gone

MSDS DATE: 02/23/12

SPILL: Stop leak if you can do so without risk. Move the cylinder/can to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Eliminate all sources of ignition. Evacuate the area promptly. Keep upwind of the spilled material and isolate exposure.

WASTE DISPOSAL: Dispose in accordance with local, state and federal laws. Do not reuse, puncture, or incinerate container. Wrap container and place in trash collection.

RCRA STATUS: Waste likely considered Non-hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool dry area and keep up right. Do not use or store near heat or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container. Do not reuse empty container. Wrap container and place in trash collection.

OTHER PRECAUTIONS: Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation suitable, forced ventilation should not be required

RESPIRATORY PROTECTION: Not required under normal use. If exposure levels are exceeded then organic vapor cartridge respirator or SCBA may be needed.

PROTECTIVE CLOTHING: Safety glasses always recommended when using chemicals. No gloves needed but may wear gloves if desired.

ADDITIONAL MEASURES: Wash hands after use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear

ODOR: None

PHYSICAL STATE: Gas

BOILING POINT: F: 7.29 C: -13.7

VAPOR PRESSURE (mmHg): 46 @

F: 70 C: 21

VAPOR DENSITY (AIR = 1): 1.8527 @

F: 77 C: 25

SPECIFIC GRAVITY (H₂O = 1): 0.5660 @

F: 77 C: 25

EVAPORATION RATE (Butyl Acetate =1): N/D

SOLUBILITY IN WATER: Slight

VOLATILE ORGANIC COMPOUNDS (VOC): 100%

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Extremes of temperature, open flame, sparks, electric equipment, ignition sources, and incompatible materials.

INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of carbon.

HAZARDOUS POLYMERIZATION: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not available

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse, puncture, or incinerate container. Wrap container and place in trash collection.

RCRA STATUS: No EPA Waste Numbers are applicable for this product's components.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION**PROPER SHIPPING NAME:** ORM-D**HAZARD CLASS:****ID NUMBER:****PACKING GROUP:****WATER TRANSPORTATION****PROPER SHIPPING NAME:** AEROSOLS IN LIMITED QUANTITIES OF CLASS 2**PRIMARY HAZARD CLASS/DIVISION:** 2.1**UN/NA NUMBER:** 1950**Packing Group:** None**NOTE:** Page 2102**AIR TRANSPORTATION****PROPER SHIPPING NAME:** AEROSOLS IN LIMITED QUANTITIES OF CLASS 2**PRIMARY HAZARD CLASS/DIVISION:** 2.1**UN/NA NUMBER:** 1950**Packing Group:** None

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS**TSCA (TOXIC SUBSTANCE CONTROL ACT):** All chemicals are listed or exempt.**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** None**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):** None**311/312 HAZARD CATEGORIES:** None**313 REPORTABLE INGREDIENTS:** None**STATE REGULATIONS:** This product contains no known chemicals regulated by California's proposition 65.**INTERNATIONAL REGULATIONS:** Canada DSL; Europe EINECS

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: Juanita Mercure

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However there is no assumption of any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this MSDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.