

Safety Data Sheet C-365

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/15/2016 Revision date: 05/06/2015

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : NON-ACID COIL CLEANER

Product code : C-365

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CK Industrial 21 Swan Drive Rexford, NY 12148-1388 T 518-248-0798 - F 518-383-6809 WWW.CHEMICALKNOWHOW.COM

1.4. Emergency telephone number

Emergency number : Chem Tel 800-255-3924

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Corrosive to metals, Category 1 May be corrosive to

metals

Skin corrosion/irritation, Category 1B Causes severe skin

burns and eye damage

Serious eye damage/eye irritation, Category 1 Causes serious eye

damage

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Contains : Caustic Soda ; disodium metasilicate, pentahydrate; EDTA; tetrasodium

ethylenediaminetetracetate; sodium carbonate

Hazard statements (GHS-US) : May be corrosive to metals

Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : Keep only in original container

Do not breathe vapours, spray, mist Wash hands thoroughly after handling

Wear eye protection, face protection, protective gloves, protective clothing

If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing Immediately call a doctor

Specific treatment (see First Aid measures on this label)

Wash contaminated clothing before reuse Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant/... container with a resistant inner liner Dispose of contents/container to an approved waste disposal plant

01/15/2016 EN (English) SDS ID: C-365 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Caustic Soda	(CAS No) 1310-73-2	7.84 - 9.8	Met. Corr. 1, H290 Skin Corr. 1A, H314
disodium metasilicate, pentahydrate	(CAS No) 10213-79-3	1 - 3	Skin Corr. 1B, H314 STOT SE 3, H335
EDTA; tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	2 - 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium carbonate	(CAS No) 497-19-8	1 - 3	Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical $% \left(1\right) =\left(1\right) \left(1\right$

advice (show the label where possible).

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a POISON CENTER or doctor/physician.

First-aid measures after skin contact

 $: \ \ Remove/Take \ of fimmediately \ all \ contaminated \ clothing. \ Rinse \ skin \ with \ water/shower.$

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact

First-aid measures after ingestion

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

01/15/2016 EN (English) SDS ID: C-365 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not breathe vapours, spray, mist.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Caustic Soda (1310-73-2)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³

disodium metasilicate, pentahydrate (10213-79-3)

Not applicable

sodium carbonate (497-19-8)

Not applicable

EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)

Not applicable

8.2. Exposure controls

Personal protective equipment : Protective goggles. Protective clothing. Gloves. Face shield.





Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield. Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Purple
Odour : characteristic

01/15/2016 EN (English) SDS ID: C-365 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour threshold : No data available

рΗ · > 12

Melting point : No data available Freezing point : No data available No data available Boiling point Flash point No data available : No data available Relative evaporation rate (butylacetate=1) Flammability (solid, gas) : No data available Explosive limits : No data available No data available Explosive properties Oxidising properties No data available Vapour pressure : No data available No data available Relative density

Solubility Water: Solubility in water of component(s) of the mixture :

: No data available

• disodium metasilicate, pentahydrate: 17.5 g/100ml • EDTA; tetrasodium

ethylenediaminetetracetate: 103 g/100ml • sodium carbonate: 22 g/100ml

: No data available Log Pow Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available Viscosity, kinematic No data available No data available Viscosity, dynamic

Other information

Relative vapour density at 20 °C

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapours.

Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Stable under use and storage conditions as recommended in section 7.

Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)
ATE US (oral)	2800.000 mg/kg bodyweight

EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)	
LD50 oral rat	> 2000 mg/kg (Rat)
ATE US (oral)	500.000 mg/kg bodyweight

01/15/2016 SDS ID: C-365 EN (English) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: > 12

Serious eye damage/irritation : Causes serious eye damage.

pH: > 12

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified : Not classified Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after eye contact : Causes serious eye damage.

SECTION 12: Ecological information

12.1. **Toxicity**

disodium metasilicate, pentahydrate (10213-79-3)		
LC50 fish 1	210 mg/l (LC50; 96 h)	
EC50 Daphnia 1	216 mg/l (EC50; 96 h)	
sodium carbonate (497-19-8)		
LC50 fish 1	300 mg/l (LC50; Other; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	242 mg/l (EC50; 5 days; Algae)	
EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1	121 mg/l (LC50; 96 h)	
EC50 Daphnia 1	625 mg/l (EC50; 24 h)	
Threshold limit algae 1	> 100 mg/l (EC0; 72 h)	

12.2. Persistence and degradability		
NON-ACID COIL CLEANER		
Persistence and degradability	Not established.	
Caustic Soda (1310-73-2)		
Persistence and degradability	Not established.	
disodium metasilicate, pentahydrate (10213-79-3)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil. Not established.	
ThOD	Not applicable (inorganic)	
EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)		
Persistence and degradability	Not readily biodegradable in water. Not established.	
Biochemical oxygen demand (BOD)	< 0.002 g O₂/g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O₂/g substance	

01/15/2016 EN (English) SDS ID: C-365 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

NON-ACID COIL CLEANER		
Bioaccumulative potential	Not established.	
Caustic Soda (1310-73-2)		
Bioaccumulative potential	Not established.	
disodium metasilicate, pentahydrate (10213-79-3)		
Bioaccumulative potential	No bioaccumulation data available.	
sodium carbonate (497-19-8)		
Log Pow	-6.19 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.	
EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)		
Log Pow	-2.6	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to an approved waste disposal plant.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1824 Sodium hydroxide solution, 8, II


UN-No.(DOT) : UN1824

Proper Shipping Name (DOT) : Sodium hydroxide solution

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive

LTD QTY - Limited quantity



Packing group (DOT) : II - Medium Danger

DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail : 1 L
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

01/15/2016 EN (English) SDS ID: C-365 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea

UN-No. (IMDG) : 1824

Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No. (IATA) : 1824

Proper Shipping Name (IATA) : Sodium hydroxide solution

Class (IATA) : 8 - Corrosives
Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

NON-ACID COIL CLEANER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

disodium metasilicate, pentahydrate	CAS No 10213-79-3	1 - 3%
-------------------------------------	-------------------	--------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Caustic Soda (1310-73-2)	
CERCLA RQ	1000 lb

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Caustic Soda (1310-73-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 05/06/2015 Other information : None.

01/15/2016 EN (English) SDS ID: C-365 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard : 3 - Short exposure could cause serious temporary or

residual injury even though prompt medical attention was

given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated

temperatures and pressures or may react with water with

some release of energy, but not violently.



HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Personal Protection :

D - Face shield and eye protection, Gloves, Synthetic apron

SDS US (GHS HazCom 2012)

No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.

01/15/2016 EN (English) SDS ID: C-365 8/8